










Product Family
Vortex Tube for Supplied Air Hoods

Vortex tube cools or warms air to your supplied air system for optimum comfort



Product Numbers & Ordering Information

Product Numbers	Details
 88600STV	Vortex Tube with Snap-Tite Coupler for 3/8" Hose Vortex Tube to connect to 3/8" I.D. hose. Snap-Tite
 88600SV	Vortex Tube with Schrader Coupler for 3/8" Hose Vortex Tube to connect to 3/8" I.D. hose. Schrader
 88602	Muffler for Vortex Tube Muffler, replacement for Vortex Tube
 88603	Vortex tube Adapter Kit Vortex Tube Adapter Kit, Contains: Nut, Washer and Stem.
 88604	Heat Shield for Vortex Tube Heat Shield Sheath, replacement for vortex tube.
 88800HV	Vortex Tube with Hansen Coupler for 1/2" Hose Vortex Tube to connect to 1/2" I.D. hose. Hansen
 88800STV	Vortex Tube with Snap-Tite Coupler for 1/2" Hose Vortex Tube to connect to 1/2" I.D. hose. Snap-Tite



88800SV

Vortex Tube with Schrader Coupler for 1/2" Hose
Vortex Tube to connect to 1/2" I.D. hose. Schrader

Packaging Information

Includes Vortex Tube and coupler assembly

Hazardous Materials

Not Applicable

Overview

Key Features

Vortex tube cools or warms air to your supplied air system for optimum comfort .

Recommended Industries/Use

- Chemical
- Manufacturing
- Municipal Services
- Steel and Metals

Hazards

- Chemical

Regulations

- Regulation - NIOSH certified when used with North CF1000 and North 85300 Series continuous flow supplied air respirators.

Historical Brand

North

Warranty Information

Honeywell Safety Products warrants these products to the original owner to be free from defects in materials and workmanship for a period of one (1) year from the date of original shipment from Honeywell's factory. Honeywell's obligation under this warranty will be, at Honeywell's option, to repair or replace without charge the product or any of its components found by Honeywell to have been defective during the warranty period, under the following terms: 1) The warranty claim is made (i) by the owner who purchased the product new from Honeywell or an authorized Honeywell Distributor, and (ii) not more than three (3) months after the end of the warranty period. 2) The product or component is found by Honeywell to have been defective in normal use and service during the warranty period of one (1) year from the date of purchase by the owner. 3) The product or component is returned freight prepaid to Honeywell, either to its factory or to a Honeywell authorized service center, and is thereafter returned to the owner freight collect. 4) This warranty does not apply to (i) any respirator or component found by Honeywell to have become defective as a result of any accident, alteration, misuse, abuse, or servicing with parts not approved by Honeywell; or (ii) deterioration or aging of any component made of rubber or other elastomer since such components can be adversely affected by undue exposure to heat, sun, water, chemicals, ozone or other deteriorating elements; (iii)) facepiece lens, compressed-air cylinders and parts that become defective through normal use. The decision as to what constitutes normal use shall be made solely by HONEYWELL SAFETY PRODUCTS. 5) To maintain this warranty, the purchaser must perform maintenance and inspections as set forth in the Instruction Manual which shall include prompt replacement or repair of defective parts, and replacement of parts per the maintenance schedule as set forth in the User's Instructions. THE OWNER ASSUMES ALL OTHER RISKS, IF ANY, SUCH AS THE RISK OF ANY DIRECT, INDIRECT OR CONSEQUENTIAL LOSS OR DAMAGE ARISING OUT OF THE USE OF, OR INABILITY TO USE, THE PRODUCT. SERVICING HONEYWELL SAFETY PRODUCTS RESPIRATORS WITH PARTS NOT APPROVED BY HONEYWELL WILL VOID THIS WARRANTY AND THE NIOSH APPROVAL FOR THE RESPIRATOR UNIT. THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED AND MAY NOT BE VARIED OR EXTENDED EXCEPT IN WRITING BY AN AUTHORIZED OFFICIAL OF HONEYWELL SAFETY PRODUCTS

Specifications

Coupler Options

- Cejn, Foster, Hansen, Schrader, Snap-Tite

Heat and Cooling Range

- Plus or minus 30F

Training & Proper Use

Refer to User Instructions for use, cleaning and storage.

Technical Support

800-873-5242

© Honeywell International Inc.