



## Product Family Söll Vi-Go Vertical Cable System





Söll Vi-Go Ladder Climbing Safety Systems provide the ultimate in safety with continuous fall protection when climbing fixed ladders: remarkably ergonomic and versatile vertical steel rope system with integrated fall protection.


Söll Vi-Go is a fall protection system that can be retrofitted onto existing climbing devices such as ladders or rungs used in wind turbine, power supply, telecommunication or other industry.

It is basically made up of a steel rope or cable (three different types), fastening elements and a revolutionary guided-type fall arrester.



### Product Numbers & Ordering Information

Product Numbers	Details
 27826 / 1034574	<p><b>Söll Vi-Go Guided-type fall arrester</b></p> <p>Quick and easy to use because of its single-hand operation ; dual locking mechanism prevents accidental unlocking of the fall arrester from the rope ; spring-activated securing mechanisms always moves the device back to its initial position ; durable absorber ; integrated mechanism prevents incorrect fastening of the shuttle to the rope ; stainless steel device = corrosion resistant</p>
 24838 / 1017370	<p><b>Manual Intermediate Holder for 8 mm cable</b></p> <p>Holds the cable in position and prevents it from moving excessively in case of Wind ; rope must be released from clamping position to allow the shuttle to pass through it. The rope must be clamped back in manual brackets at the respective positions before getting off the system ; cost-effective, light with possibility of retrofitting</p>
 24839 / 1017373	<p><b>Manual Intermediate Holder for 10 mm cable</b></p> <p>Same specification as the manual intermediate holder for 8mm cable</p>
 24840 / 1017375	<p><b>Automatic Intermediate Holder for 8 mm cable, for rungs 22-36mm</b></p> <p>Holds the cable in position and prevents it from moving excessively in case of Wind ; the shuttle pass through automatic brackets without a manual action -&gt; allows for user comfort, quicker climbing and descending ; brackets are to be installed by passing the rope through it.</p>



**Automatic Intermediate Holder for 8 mm cable, with fixing plate, for rungs 18-26mm**

Same specification as the abovementioned automatic intermediate holder



26554 / 1033241

**Heavy Duty Tensioner galvanized steel**

Cable tensioner with integrated tension indicator



25401 / 1028710

**Heavy Duty Tensioner stainless steel**

Cable tensioner with integrated tension indicator



24815 / 1017382

**Universal Beam bracket galvanized**

Clamp serving as cable fixing ; enables to hang cable and rope end parts ; can be fastened to pipe structures of various diameters, angular or flat steel profiles



24814 / 1017383

**Universal Beam bracket stainless steel**

Same specifications as the galvanised Universal Beam bracket, however made of stainless steel



24807 / 1017384

**Universal Rung Bracket galvanized**

Clamp serving as cable fixing ; enables to hang Cable and rope end parts ; can be fastened directly to the rungs of a ladder ; various elongated holes at varying distances enable to mount it to most ladders



24806 / 1017385

**Universal Rung Bracket stainless steel**

Same specifications as the galvanised Universal Rung Bracket, however made of stainless steel



24843 / 1014740

**8 mm cable galvanized**

7x19



24841 / 1013502

**8 mm cable stainless steel**

7x19



24844

**10 mm cable galvanized**

7x19



24842 / 1015901

**10 mm cable stainless steel**

7x19



24845 / 1017430

**Cable swage for 8 mm galvanized cable**

Can only be used at the upper end of the cable ; the exact rope length must be specified at the time of ordering ; advantages = reduced component cost and assembly time



24846 / 1017440

**Cable swage for 8 mm stainless steel cable**

Same specifications as the galvanised cable swage, however in stainless steel



24847 / 1017450

**Cable swage for 10 mm galvanized cable**

Same specifications as the galvanised cable swage, however for 10 mm cable



24848 / 1017451

**Cable swage for 10 mm stainless steel cable**

Same specifications as the galvanised cable swage, however in stainless steel



24849 / 1009509

**Turnback loop fixing parts for 8 mm cable**

Can be used on both ends of the cable ; rope length can be variable ; extremely flexible during installation



24850 / 1017682

**Turnback loop fixing parts for 10 mm cable**

Same specifications as the Turnback loop fixing parts for 8 mm cable



24851 / 1017386

**Swageless Terminal for 8 mm cable**

Available for all cable types ; for quick installation



24852 / 1017387

**Swageless Terminal for 10 mm cable**

Available for all cable types ; for quick installation




24924

**Cable end swage 8 mm**




24925

**Cable end swage 10 mm**



23168 / 1007470

**8 mm swaging indicator (25 pieces)**



23169 / 1007471

**10 mm swaging indicator (25 pieces)**



17298 / 1033000

**Tamper evident paint**

Permanent security marking for cable end connections



25051 / 1017840

**Platform Extension galvanized**



25846 / 1033242

**Platform Extension stainless steel**



24854 / 1017388

**ID-Plate**



25121 / 1029673

**Rung Reinforcement 63 cm**

Enables cable extension above the ladder

## Overview

### Key Features

The user wears a full body harness (EN 361 compliant) and fastens the karabiner hook of the Söll Vi-Go shuttle to the fall protection/fall arrest attachment ring of a harness. Users can start climbing or descending once the shuttle has been fixed to the rope.

### Söll Vi-Go Continuous Ladder Climbing Safety Systems with Automatic Pass-Through

- Uninterrupted fall protection – Uniquely-designed Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing; travels smoothly along cable and locks instantly in the event of a fall.
- Easy, one-hand operation for attachment/detachment from the system. No pins/chains or external parts to lose or damage.
- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Withstand harsh environments – The Vi-Go Cable Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components.
- Attachment mechanism engineered to prevent incorrect installation, ensuring greater safety. Unit will not open if attached incorrectly.
- Cable sleeve integrated shock-absorbing element – Provides a “dual shock-absorbing system” to further reduce fall forces. Protects the system and ladder from damage. – Once a fall occurs, the deployed shock absorber indicates the unit must be taken out of service.
- Accommodate 5/16-inch (8mm) or 3/8-inch (10mm) cable.

### Automatic Pass-Through Cable Guides

- Söll Vi-Go automatic pass-through cable sleeve glides easily through intermediate cable guides uninterrupted. Hands and feet are free for climbing.

### Söll Vi-Go Ladder Climbing Safety Systems with Manual Pass-Through

- Require manual removal/insertion of cable with intermediate guides.
- Cable guides secure lifeline to prevent cable wear.
- Manual Vi-Go Cable Sleeve follows the worker while ascending and descending.
- Cable sleeve locks instantly in the event of a fall. • Accommodate 3/8-inch (10mm) cable.
- A cushioning element on each sleeve reduces the load on the cable fixings when there are several users.

### Versatile system

- System components are readily available in different models or materials.
- The users can choose between prefabricated or flexible system components.
- The selection of system components made of galvanised or stainless steel enables to adapt to environmental conditions

### Recommended Industries/Use

- Other
- Chemical
- Construction
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Transportation
- Utilities
- Nuclear
- Wind Energy

### Hazards

- Fall from height

### Regulations

- Meets EN 353-1 standard (and all applicable OSHA, ANSI and CSA standards)

### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested

to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. Should a product issue surface, contact us at +33 248 53 08 97 (France, Spain, Portugal, North Africa) or +49 9281 8302 0 (Northern and Central Europe, Italy). Manufacturing specifications are subject to change without notice.

## Certifications

### Söll Vi-Go ZP\_B062-16

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Permanent\\_Anchorage\\_Systems/4294998543/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Permanent_Anchorage_Systems/4294998543/1033.aspx)

Söll Vi-Go EC-type examination certificate

### Conformity licence Söll Vi-Go DE\_2017

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Permanent\\_Anchorage\\_Systems/4294998532/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Permanent_Anchorage_Systems/4294998532/1033.aspx)

Söll Vi-Go conformity license

## Literature & Documents

### Technical\_Data\_Sheet\_Vi-Go\_Shuttle\_27826

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Permanent\\_Anchorage\\_Systems/4294998568/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Permanent_Anchorage_Systems/4294998568/1033.aspx)

Söll Vi-Go - Technical data sheet - Shuttle

### SEN 70

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Permanent\\_Anchorage\\_Systems/4294998547/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Permanent_Anchorage_Systems/4294998547/1033.aspx)

Söll Vi-Go operations and maintenance instructions

## Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

## Additional Information

France, Spain, Portugal, North Africa : +33 248 53 08 97 and email : [lignedevie.hsp@honeywell.com](mailto:lignedevie.hsp@honeywell.com)

Northern and Central Europe, Italy : +49 9281 8302 0 and email : [scs-hof@honeywell.com](mailto:scs-hof@honeywell.com)

## Technical Support

France, Spain, Portugal, North Africa : +33 248 53 08 97 and email : [lignedevie.hsp@honeywell.com](mailto:lignedevie.hsp@honeywell.com)

Northern and Central Europe, Italy : +49 9281 8302 0 and email : [scs-hof@honeywell.com](mailto:scs-hof@honeywell.com)