



# KNOWING YOUR SAFETY SHOES

**Safety matters to us.**

Our R&D team works tirelessly to deliver shoes that blend comfort with protection. That's why our shoes comply with the **European Standard (EN 20345)** and Singapore Safety Standard (SS513)\*.

## Features



**Water Resistant**



**Anti-static**



**Shock Absorption**



**Penetration Resistant**



**Oil Resistant**



**Slip Resistant**



**Impact Resistant**



**Abrasion Resistant**



# SAFETY SHOE FEATURES

## Wide Toecap




WORKSafe® safety shoes feature wider toecaps that relieve pressure on the toes, hence improving blood circulation and comfort. This is especially important for workers who stand or walk around for long hours. Wider toecaps improve toe alignment, provide greater support, enhances balance and reduces the likelihood of injuries.



Narrow toecaps can restrict blood circulation in the feet, causing sore feet and toes. Discomfort and increased pressure on the toes can increase the likelihood of injuries and other foot problems.

## Well-Cushioned Footbed




WORKSafe® footbeds match the contours of your feet. Well-cushioned and lightweight, its shaperetention properties maximizes contact with your feet. This spreads your body's weight over a greater surface area, cushioning your feet from impact and enhancing your stability.

## Dual Density PU/PU Outsole




WORKSafe® safety shoes are handy and durable. The dual density polyurethane (PU) outsole offers better resistance to cracks & abrasions, compared to ordinary polyurethane outsoles. It also provides you with excellent grip on wet and oily work floors.

## Shock Absorption



WORKSafe® safety shoes feature a unique outsole thread design with a lower density insole for energy absorption when weight is applied. Its unique groove pattern helps to channel pressure away from your heel and spreads it over a larger surface area. This reduces fatigue and stress to your joints and bones.

## Steel Toecap & Insole



Tested to withstand up to 200 joules of impact, WORKSafe® safety shoes are built to give you complete protection on the work floor. In addition, its steel insole protects you from sharp nails and rocky terrains.

*\*refer to page III for details regarding these standards.*

# COMMON FOOT-RELATED HAZARDS

There are two types of work-related foot injuries. The first type involves direct damage to the feet such as punctures, lacerations and sprains. The second involves injuries caused by insufficient traction, resulting in slips, trips and falls. Identify and assess the relevant workplace hazards and choose your safety footwear wisely.

**Some examples of foot hazards include:**



Falling Objects



Rolling Objects



Sharp Materials



Exposure to Chemical Splashes or Spill



Wet and Slippery Surfaces



Heat and Cold


















































## Foot Protection and Health Tips

- Wear good quality socks that fit well to reduce friction in shoes or boots.
- Comfortable and well-fitted safety footwear can prevent many injuries. It reduces fatigue and keeps you alert longer.
- Smart workplace design choices that avoid fixed positioning and hazards improve foot safety.
- Frequent short breaks help to alleviate foot problems.
- Standing on ground that provide flexibility, such as carpet, rubber or wood, is gentler on the workers' feet.
- Safety footwear with thick, insulating soles and shock-absorbing materials can alleviate discomfort.
- Always choose shoes with a wider toecap as it reduces pressure on toes and improves blood circulation.



# EUROPEAN SAFETY STANDARDS

EUROPEAN SAFETY NORMS EN ISO 20345:2011 (EQUIVALENT TO SS513:Part 1:2013\*)

Safety Level	Class I Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear					Class II All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear		
	SB	S1	S1P	S2	S3	SB	S4	S5
Properties								
Slip-resistant (SRA/SRB/SRC)								
Impact-resistant Toecap								
Penetration- resistant Sole (P)								
Closed Heel Area								
Fuel Oil-resistance of the Sole (FO)								
Anti-static Properties (A)								
Energy Absorption in the Heel Area (E)								
Water-resistant (WR)								
Cleated Outsole								

\* For more information, please refer to SS513:Part 1:2013



# SAFETY SHOE VIDEO GUIDE

How To Choose Your Safety Shoe PPE For Beginners!

999,999 views • Feb 21, 2021

8 257 3 503 SHARE SAVE

PDS International Pte Ltd  
subscribers

SUBSCRIBE 8,8 M

SCAN FOR SHOE GUIDE:

Join **Jeffrey** as he explains the basics of safety shoe shopping. Learn about the features you can't live without and get practical tips on what to look out for!

Looking for **safety shoes**? *Shop here:*

- WORKSafe** : [www.safety.com.sg/brands/filter/brand/worksafe-safety-shoes](http://www.safety.com.sg/brands/filter/brand/worksafe-safety-shoes)
- WORKGard** : [www.safety.com.sg/brands/filter/brand/workgard-safety-shoes](http://www.safety.com.sg/brands/filter/brand/workgard-safety-shoes)
- Bata Industrials** : [www.safety.com.sg/brands/filter/brand/bata-industrials-safety-shoe](http://www.safety.com.sg/brands/filter/brand/bata-industrials-safety-shoe)

@safety.com.sg

**Follow us** today on these following channels for your daily dose of safety :)

# SHOE SIZING CHART

**WORKSafe**<sup>®</sup>  
PEOPLE PROTECTION

## Sizing Chart

UK	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
EUROPE	36	37	38	39	40	41	42	43	44	45	46	47	48
US	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14

\* Half sizes are only available for certain models

**WORKGard**<sup>®</sup>  
SAFETY MADE EASY

## Omega & Alpha Series Sizing Chart

Footbed length (mm)	241	250	255	265	275	283	289	293	305	313
Footbed width (mm)	84	85	87	89	92	93	96	99	102	106
UK	3	4	5	6	7	8	9	10	11	12
EUROPE	36	37	38	39	41	42	43	44	46	47
US	4	5	6	7	8	9	10	11	12	13

\* Factory size smaller than usual, please select 1 size bigger. Refer to size chart above.

**STARFIRE**

## Starfire Sizing Chart

Footbed length (mm)	232	239	246	252	259	272	279	286	292	306	312
UK	2	3	4	5	6	7	8	9	10	11	12
EUROPE	35	36	37	38	39	41	42	43	44	46	47
US	3	4	5	6	7	8	9	10	11	12	13

\* Factory size smaller than usual, please select 1 size bigger. Refer to size chart above.

# SHOE SIZING CHART



**BATA INDUSTRIALS**  
THE SAFETY SHOE

Official size comparison mondopoint  
R2/ French sizes/ UK sizing/ American sizes

Mondopoint	255	232	240	247	255	262	270	277	285	292	300	307	315
French Size	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	4	5	6	6.5	7	8	9	9.5	10	11	12	13
Am women's	5	6	7	7.5	8	9	10						
Am men's	3	4	5	6	7	7.5	8	9	10	11	12	13	14



Sizing Chart

UK (MEN)	3	4	5	6	7	8	9	10	11	12
EUR (MEN)	36	37	38	39/40	41	42	43	44/45	46	47
UK (LADY)	3	4	5	6	7	8				
EUR (LADY)	36	37	38	39	40	41				



RESPIREX™

Sizing Chart

UK	3	4	5	6	7	8	9	10	11	12	13	14	15
EUROPE	35	36	37	39	41	42	43	44	45	46	47	49	50
US	4	5	6	7	8	9	10	11	12	13	14	15	16

## Overboots

	MEDIUM	LARGE	EXTRA-LARGE
UK	6-8	9-11	12-15
EUROPE	39-42	43-45	46-50
US	7-9	10-12	13-16

# STEEL TOECAP

## WORKGARD® ALPHA



Anti-static



Shock  
Absorption



Penetration  
Resistant



Oil  
Resistant



Slip  
Resistant



Impact  
Resistant



Abrasion  
Resistant



ALPHA-L

ALPHA-M

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKGard®	Alpha-L	WGS8807SX	Low Cut, Black Barton Split Leather Size (X): 36-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Alpha-M	WGS8808SX	Mid Cut, Black Barton Split Leather Size (X): 37-47	EN ISO 20345 (S1P SRC), SS513

\* Factory size smaller than usual, please select 1 size bigger.

# WORKSAFE® STARFIRE

## COMPOSITE TOECAP



**Breathable Mesh Fabric**



**Slip Resistant**



**Oil Resistant**



**Shock Absorption**



**Metatarsal Guard**



**Impact Resistant**



**Anti-static**



**Reflect Lights**

# STARFIRE

STARFIRE-M

STARFIRE-L



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKSafe®	Starfire	WSS109	Starfire-L Low Cut, Black Mesh Microfiber, Eva/Rubber Sole. Size (X): 35-47	EN ISO 20345 (S1P SRC), SS513
WORKSafe®	Starfire	WSS110	Starfire-M Mid Cut, Black Mesh Microfiber, Eva/Rubber Sole. Size (X): 35-47	EN ISO 20345 (S1P SRC), SS513



### COMPOSITE TOE CAP

Lighter than steel, the STARFIRE's composite toecap is made of sturdy, synthetic material. They can be trusted to provide protection and comfort.



### REFLECTIVE STRIPS

Named after its reflective strips, the 'Starfire' brightens the dark with its innovative safety features. Visible from any angle, keeping you safe at night.



### METATARSAL GUARD SHOE TONGUE

The material's special properties allows the shoe tongue to harden when pressure is applied, increasing its defensive power when needed, while remaining comfortable at rest. Tested to EN1621-1 Level 2 safety standards.

Available in low cut & mid cut. Sizes on Page 68





# NEUKING - STEEL TOECAP



**DURABLE**

Long-lasting & anti-slip

**COMFORTABLE**

Supports tired feet & absorbs impact

**BREATHABLE  
GENUINE LEATHER**

Tough buffalo leather

**HIGH VISIBILITY  
REFLECTIVE STRIPS**

Be safe in low light conditions





# NEUKING - STEEL TOECAP

Safety footwear masters with decades of combined experience have teamed up to bring Neuking to life. Built upon user voices and industry knowledge from Asia Pacific and Europe, witness the perfect safety shoe that is comfortable, durable and affordable.



**Breathable Mesh Liner**



**Reinforced Heel Cup**



**Steel Toe**



**Dual Density PU Outsole**



**Anti-slip**



**Shock Absorbing Heel**



**Oil Resistant**



**Anti-Bacterial Footbed**



**Penetration Resistance**



**Tough Buffalo Leather**



**Antistatic**



**UK 4 - 11**



NK80



NK83

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NK83	NEUNK83SX	Mid Cut Safety Shoe Size (X): 04-11	EN ISO 20345 ( <b>S1P</b> SRC)
NEUKING	NK80	NEUNK80SX	Low Cut Safety Shoe Size (X): 03-12	EN ISO 20345 ( <b>S1P</b> SRC)

# COMPOSITE TOECAP SAFETY SHOES



## SPORTMATES® COLLECTION

Seriously safe. Seriously sporty.

The SportMates® collection with four models focuses on safety, breathability and lightweight. With their sporty style and lightweight design, SportMates are the perfect solution for every sporty and price-sensitive professional. Safety is the most crucial factor in the development process of our footwear. But when it comes to safety shoes, professionals today want more than just the best protection. They want shoes that offer maximum comfort and stability, look stylish and at the same time provide

their feet with the best support. The new models are responding to this demand. We have not only changed the uppers in colour and design, but also the outsole, which is more in line with what you see in sneakers. A soft cushioning EVA midsole provides excellent comfort and high shock absorption. The midsole is combined with a latex foam inlay sole and a lightweight upper made of breathable materials. These unique features ensure optimal climate and comfort in the shoe, all day long.



# COMPOSITE TOECAP SAFETY SHOES

## BATA INDUSTRIALS

MENDEL 3



NORFOLK 2



DENSE 4



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	MENDEL 3	BAT71165522SX	Black/Grey Lace Up Safety Shoe With Composite Toecap Size (X): 02-13	EN ISO 20345 <b>S1</b> , SS513
BATA INDUSTRIALS	NORFOLK 2	BAT71561089SX	Safety Shoe Black Lace Up Shoe Size (X): 03-12	EN ISO 20345 <b>S3</b> , SS513
BATA INDUSTRIALS	DENSE 4	BAT71916043SX	Black/Grey Lace Up Shoe With Composite Toecap Size (X): 02-13	EN ISO 20345 <b>(S3 SRC)</b>

## NEUKING

NKC100



NKC103



Composite  
Toe Cap  
(200 Joules)



Slip Resistant



Kevlar  
Midsole  
(1100 N)



Non-Metallic



Eva / Rubber



Anti-bacterial  
Footbed



Water  
Resistant



Antistatic



Oil  
Resistant



Breathable  
Mesh Liner



Reinforced  
Heel Cup



Genuine  
Leather



Heat  
Resistant  
(UP TO 300°C)



Lightweight

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NKC100	NEUNKC100SX	Low Cut Crazy Horse Leather Shoe, Kevlar Midsole Size (X): 04-13	EN ISO 20345 ( <b>S3 SRC</b> ), SS513
NEUKING	NKC103	NEUNKC103SX	Mid Cut Crazy Horse Leather Shoe, Kevlar Midsole Size (X): 04-12	EN ISO 20345 ( <b>S3 SRC</b> ), SS513

# COMPOSITE TOECAP SAFETY BOOTS

## NEUKING



NKC 105

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NKC105	NEUNKC105SX	High Cut Crazy Horse Leather Shoe, Kevlar Midsole Size (X): 06-12	EN ISO 20345 (S3 SRC), SS513

## BATA INDUSTRIALS



STOCKHOLM 2




BRISK 4



TITAN 5

### Tunnelsystem®



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	STOCKHOLM 2	BAT70561096SX	WALKMATE MF Safety Shoe Black Lace Up Ankle Boot Size (X): 03-13	EN ISO 20345 (S3 SRA)
BATA INDUSTRIALS	BRISK 4	BAT70916044SX	SPORTMATES Black/Grey Lace Shoe Size (X): 03-13	EN ISO 20345 (S3 SRC)
BATA INDUSTRIALS	TITAN 5	BAT75631136SX	WALKMATE MF Nubuck Boot Size (X): 03-13	EN ISO 20345 (S3 HRO, SRC)



# ESD SAFETY SHOES



## RADIANCE COLLECTION

Seriously safe. Seriously boosting.

The Radiance collection is designed with an eye for style, safety and comfort. In addition to the sporty look, the shoes offer maximum protection and ultimate comfort. All day long. To give your feet the highest level of comfort, the Radiance collection features a special lightweight EVA midsole with 3B-Motion Technology: Bata's Boosting Base. This gives feet a

huge power boost every step of the way. In combination with an inlay sole of high elastic EVA and the robust SRC certified Vibram® outsole, this ensures an optimal level of comfort and energy return. Even after a long working day your feet still feel comfortable and you still have a lot of energy left!

# ESD SAFETY SHOES

## BATA INDUSTRIALS®

- Seamless TPU film
- Abrasion resistant TPU overnose
- Punched eyelets
- Composite toecap
- FlexGuard® composite penetration resistant insert
- EVA /rubber outsole (Vibram®)
- EVA footbed
- Width W



SPARK ESD



ENERGY ESD



UP ESD

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SPARK ESD	BAT71966426SX	Radiance Spark Black/Red Low Cut Shoe Size (X): 2-11	EN ISO 20345 ( <b>S1P</b> SRC)
	UP ESD	BAT70926418SX	Radiance Up Black/Blue High Cut Shoe Size (X): 7-10	EN ISO 20345 ( <b>S3</b> SRC)
	ENERGY ESD	BAT71926417SX	Radiance Energy Black/Blue Low Cut Shoe Size (X): 7-10	EN ISO 20345 ( <b>S3</b> SRC)



BATA SWIFT



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SWIFT	BAT71515996SX	Swift White Microfiber Upper, Anti Slip ESD Size (X): 2-12	EN ISO 20345 ( <b>S2</b> SRC)



# ESD SAFETY SHOES

## BATA INDUSTRIALS® SUMM Collection



SUMM+ FIVE

Introducing the SUMM+ FIVE: a high-resistance safety shoe combining safety, durability and comfort, without compromising on style.

The SUMM+ FIVE is a lightweight, stable and slip resistant safety shoe. Designed with an eye for Italian craftsmanship and style, this shoe looks stylish and keeps your feet protected even in the toughest work conditions.



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SUMM FIVE	BAT75963595SX	Summ+ Five Black/Gray With Flexguard Insert, Mid Cut BOA ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)

# ESD SAFETY SHOES

## LAVORO PRETTY WOMAN COLLECTION



LUCY



BIANCA

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
LAVORO	LUCY	LV0102110SX	Black, Mid-cut, SR SRC Size (X): 4-6	EN ISO 20345 ( <b>S3</b> SRC)
LAVORO	BIANCA	LV0111810SX	Black, Low-cut, SR SRC Size (X): 3-6	EN ISO 20345 ( <b>S3</b> SRC)

## LAVORO SPACE ODDITY COLLECTION



STARLIGHT BLUE



STARDUST SILVER

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
LAVORO	STARLIGHT BLUE	LV0120000SX	Black/Blue, Low-cut Size (X): 7-10	EN ISO 20345 ( <b>SP1</b> SRC WRU)
LAVORO	STARDUST SILVER	LV0120020SX	Black/Silver Low-cut Size (X): 7-10	EN ISO 20345 ( <b>SP1</b> SRC WRU)



# ESD SAFETY SHOES

## SAFETY JOGGER (S3)



SHARK



ASAMA



MANAGER



X430



X330

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
SAFETY JOGGER	SHARK	SJP010563SX	High-cut Tactical, S3, ESD SRC WR Size (X): 35-47	EN ISO 20345:2011
SAFETY JOGGER	ASAMA	SJP012912SX	Mid-cut, Black, SR ESD HI CI FO HRO Size (X): 39-46	EN ISO 20345:2022+A1:2024
SAFETY JOGGER	MANAGER	SJP810700SX	Black Executive, S3, ESD, SRC Size (X): 38-47	EN ISO 20345:2011
SAFETY JOGGER	X430	SJP870801SX	Mid-cut, Black, S3 CI HRO ESD SRC WR Size (X): 35-47	EN ISO 20345:2011
SAFETY JOGGER	X330	SJP870802SX	Low-cut, Black, S3 CI HRO ESD SRC WR Size (X): 35-47	EN ISO 20345:2011

## SAFETY JOGGER (S1)



LOBI



ECONILA



CADOR



AAK

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
SAFETY JOGGER	LOBI	SJPL0BIS1PLTSBK-SX	Low-cut, Black, TLS S1 PS, SR ESD FO HRO Size (X): 35-47	EN ISO 20345:2022
SAFETY JOGGER	ECONILA	SJPECONILAS1L-SX	Low-cut, Black, S1 SR ESD FO HRO Size (X): 35-48	EN ISO 20345:2022
SAFETY JOGGER	CADOR	SJP011213BL-SX	Low-cut, Blue, S1 P SR ESD FO Size (X): 36-47	EN ISO 20345:2022
SAFETY JOGGER	AAK	SJP011924NB-SX	Low-cut, Dark Blue, S1 PS SR ESD FO HRO Size (X): 37-48	EN ISO 20345:2022



# WORKSAFE® PVC VULCAN BOOTS

## HIGH-CUT VULCAN BOOTS



Water  
Resistant



Anti-static



Shock  
Absorption



Penetration  
Resistant



Oil  
Resistant



Slip  
Resistant



Impact  
Resistant



Abrasion  
Resistant

- Steel toecap
- Oil-resistant
- Anti-static
- Penetration-resistant



108BA

- Steel toecap
- Oil-resistant
- Penetration-resistant



108YN

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKSafe®	Vulcan Boots	WSS108BASX	Black Vulcan Boots With Steel Toe Cap and Midsole Size (X): 3-12	EN ISO 20345 ( <b>S5</b> SRA)
WORKSafe®	Vulcan Boots	WSS108YNSX	Yellow Vulcan Boots With Steel Toe Cap and Midsole Size (X): 3-12	EN ISO 20345 ( <b>S5</b> SRA)

### Size Chart Converter

Length (mm)	236	248	254	261	267	273	281	287	293
UK	4	5	6	7	8	9	10	11	12
US	5	6	7	8	9	10	11	12	13
EU	38	39	40	41	42	43	44	45	46



Mondopoint: L

# HIGH CUT RIGGER BOOTS



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NK85K	NEUNK85KSX	Orange Slip On Rigger Boot Size (X): 04-12	EN ISO 20345 (S1P SRC)



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
KINGS	HIGH CUT RIGGER BOOTS	KSSOWT805KW-RSX	Otter Waterproof Pull-up Rigger Boot Size (X): 4-12	EN ISO 20345 (S1P SRC)

# DIELECTRIC BOOTS



## RESPIREX



RILB009



RILB017



RILB011

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
RESPIREX	RILB009	RILB009X	Dielectric Boots With Steel Toe Cap and Rubber Sole (Mark to 20KV) Size: 3-12 (X): 50-59	EN ISO 20345, EN ISO 50321 and EN ISO 50345
RESPIREX	RILB017	RILB017X	Dielectric HV3 Moulded Sole Size: 6-10 (X): 26-30	EN50321, EN ISO 20345, ASTM 1117
RESPIREX	RILB011	RILB011X	Dielectric Overboots Size: Medium/Large (X): 70-71	EN50321, EN ISO 20347, ASTM F-2413, ASTM F1117, CSA Z195



# CHEMICAL-RESISTANT BOOTS



## RESPIREX

A chemically protective anti-static boot with an integral steel toe cap and vulcanized rubber sole for superior slip resistance.



RILB008



RILB01160/61



RILB012

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
RESPIREX	HAZMAX	RILB008X	Chemical Resistant Safety Boots Size: 5-13 (X): 49-57	EN ISO 20345 <b>S5</b> , EN 13832-3, EN943
RESPIREX	HAZMAX	RILB01160/61	Hazmax Chemical-Resistant Overboots Size: Medium / Large	EN ISO 20347, EN943, NFPA 1991 ASTM F 2413, CSA Z195
RESPIREX	HAZMAX	RILB012X	Workmaster ESD Boots Size: 39-42 (X): 90-92	EN ISO 20345 <b>S5</b> , EN 13832, EN943, NFPA 1991, EN 61340-5

# CLEANROOM SHOES

## SAFETY JOGGER WHITE CLEANROOM



GUSTO

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
SAFETY JOGGER	GUSTO	SJPGUSTOS2-SX	White, Cleanroom Safety shoes, S2 SRC Size (X): 35-47	EN ISO 20345 - S2 / SRC



# VISITOR OVERSHOES

## WORKGARD® FS-1010

WORKGard® Overshoes are your go-to for ensuring visitor safety. With a durable toecap and robust design, these overshoes offer top-notch protection without compromising on comfort.



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKGard®	Overshoes	WGSFS-1010	Safetytoe Overshoes	EN 12568:2010 5.2.2

## GASTON MILLE MILLENIUM FULL PROTECT- KIT

Gaston MILLE® presents the Millenium Protect® range for visitor safety. These overshoes feature an anti-perforation plate, anti-slip sole, and come in just three sizes, simplifying inventory management.



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
Gaston Mille®	Overshoes	GMSMFPUK	Safetytoe Overshoes	EN 12568 & EN ISO 20345

# SOCKS

## WORKSafe® TUFFSOX

- Work can get rough, and these TUFFSOX can stand up to the challenge.
- These durable and work-ready socks that are great to wear with any safety or casual shoe!
- Made in with LYCRA® fiber and COOLMAX® CORE technology, these socks wick moisture, keeping you comfortable all day.
- Helps keep the wearer cool, dry and comfortable during any activity.



Heel and Toe Reinforcement  
• Double Thickness

COOLMAX®



LYCRA® and COOLMAX® are the trademarks of The LYCRA Company.

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	Standard
WORKSafe®	SOCKS	830WSSTUFFSOX	Tuffsox Coolmax® & Lycra® Black/Grey Ankle Socks Size: Free	-